

Sanitized Copy Approved for Release 2010/06/10 : CIA-RDP83T00574R000101980001-7

Warning Notice Intelligence Sources and Methods Involved (WNINTEL) or (D)

NATIONAL SECURITY INFORMATION Unauthorized Disclosure Subject to Criminal Sanctions

DISSEMINATION CONTROL ABBREVIATIONS

NOFORN-

Not Releasable to Foreign Nationals

NOCONTRACT-

Not Releasable to Contractors or

Contractor/Consultants

PROPIN-

Caution-Proprietary Information Involved

ORCON-


Dissemination and Extraction of Information


Controlled by Originator

REL . . .

This Information has been Authorized for

Release to . . .





Sanitized Copy Approved for Release 2010/06/10: CIA-RDP83T00574R000101980001-7 SECRET 25X1 (c) NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER Attachment to 2-15838/82 Page _1_ of _1_ NPIC/IEG(8/82)Copy____ 27 AUGUST 1982 IRANIAN AND IRAQI CANAL CONSTRUCTION AL BASRAH AREA 25X1 (SWN) SIGNIFICANCE: IRANIAN AND IRAQI CANAL CONSTRUCTION 1. 25X1 IN THE AL BASRAH AREA WAS OBSERVED (GRAPHIC 1) IRANIAN FORCES HAD COMPLETED THE (SWN) REMARKS: CONSTRUCTION OF A 15 NM CANAL , IN AN ATTEMPT 25X1 TO DRAIN THE IRAQI DEFENSIVE WATER BARRIER EAST OF THE SHATT AL ARAB (GRAPHIC 2). HOWEVER, THE SIZE OF THIS DRAINAGE CANAL IS NOT SUFFICIENT TO REMOVE ENOUGH WATER TO REDUCE THE SIZE OF THE WATER BARRIER. IRAQI FORCES WERE OBSERVED OPENING A 25X1 (SWN) THIRD FEEDER CANAL FROM THE SHATT AL ARAB TO THE DEFENSIVE WATER BARRIER (GRAPHIC 3). THIS NEW CANAL WAS 6 NM IN LENGTH AND ADJACENT TO AN EXISTING FEEDER CANAL. COMPLETION OF THIS NEW CANAL WILL GREATLY INCREASE THE VOLUME OF WATER PUMPED INTO THE DEFENSIVE WATER BARRIER. (SWN) ADDITIONALLY, IRAQI FORCES WERE CONSTRUCTING A 1.5 NM CANAL, EXTENDING EAST FROM THE DEFENSIVE WATER BARRIER (GRAPHIC 4). WHEN COMPLETE, THIS CANAL WILL ENABLE THE IRAQIS TO FLOOD ADDITIONAL LAND ALONG THE FORWARD EDGE OF 25X1 THE BATTLE AREA. (S) BE NONE, COORDINATES 30-35-50N 048-02-10E 30-34-30N 047-56-50E 30-36-10N 047-57-10E

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue.

25X1

WARNING NOTICE Intelligence Sources and Methods Involved

SECRET

25X1